


EINGANG WEST

TEIHMACHERKASSABEN

EINGANG OST

EINGANG OST




Total net m² of area available for allocation: 14394 m²

Emergency exits for 13920 persons
 Width of emergency exit: 92,80 in. m

Max. building height without construction approval = 3,5m
 Please observe the General Conditions of Participation, Technical Regulations area.

Subject to official approval



- Legend:
- Column
 - Column 1: d=0,81m, Column base d=1,09m (h=0,09m)
 - Column 2: d=0,71m, Column base d=0,99m (h=0,09m)
 - Hydrant
 - Fire extinguisher
 - Fire-fighting container 90cm x 140cm, H=140cm
 - ~ Ventilation outlet
 - ⚡ Emergency exit
 - Channel system with utility connections for:
 - Water supply and drainage pipes
 - Power supply
 - Data connections
 - Gas
 - Compressed air
 - Ground sprinkler supply
 - ⊕ Electr. connection max. 32A = 18kW (2,50 über FFB)
 - ⊙ Safety triple outlet, can be switched off
 - ⊙ Water / Waste water
 - Position of supports
 - Suspension points max. load per point = 1kN (100kg) vertical
 - Duct for displacement air
 - Area available for allocation max. 13851 m²
 - Apical area available for allocation max. 523 m²



Hall : **Hall 1 L-Bank Forum**

Scale: _____ Date: _____

Event: _____

